



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORBIDITY AND MORTALITY.

## WEEKLY MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED DECEMBER 10.

[For smallpox and plague see special tables.]

Cities.	Total deaths from all causes.	Tuber- culosis.		Ty- phoid fever.		Scarlet fever.		Diph- theria.		Measles.		Whoop- ing cough.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Altoona, Pa.	10	2	1			1		3					
Ann Arbor, Mich.	5	1	1							1			
Ashtabula, Ohio.	5												
Aurora, Ill.	8							1					
Baltimore, Md.	211	22	26	33	12	25	3	31	4	38			
Bayonne, N. J.		1				1		17		1			
Bedford, Ind.													
Bennington, Vt.	3					1		2					
Berkeley, Cal.	3	1				3						2	
Biddeford, Me.	2			1		3							
Binghamton, N. Y.	21	3	2	1		2	2	2	2				
Boston, Mass.	226	51	15	1	4	31	2	62	1	18	1	9	
Bridgeport, Conn.	31		5			2		4	2	1		6	
Brockton, Mass.	18	5	2	4				31	2	31			
Buffalo, N. Y.	131	15	10	14	1	47	7	31	2	19	1	35	
Butler, Pa.	6					1		1					
Cambridge, Mass.	27	8	5			3		3	2	5		2	
Cambridge, Ohio.	2			3		2							
Camden, N. J.				1		4		6	3	26			
Camden, S. C.													
Canton, Ohio.	21	1	3			2		1					
Carbondale, Pa.	3							1					
Charlotte, N. C.	9			5		1		2				1	
Chattanooga, Tenn.						2		1					
Chelsea, Mass.	12	2	1			2		1					
Chicago, Ill.	651	131	71	45	7	160	9	305	24	80	2	19	1
Chicopee, Ill.	3	2						1					
Cincinnati, Ohio.	136	20	17	3		19		16	2	4		1	
Cleveland, Ohio.	123	44	8	14	3	28	4	44	6	5		7	1
Clinton, Mass.	5												
Coffeyville, Kans.	2			2	4	1							
Columbus, Ind.	6		1	1	1	4							
Columbus, Ohio.	73	4	8	4		5		1		2		2	
Concord, N. H.	6		1	1						1			
Covington, Ky.	18		2			2		1					
Covington, Ohio.								9	2				
Cumberland, Md.	7		2	10		1		2					
Danville, Ill.	6					3							
Dayton, Ohio.	38		2	2				2					
Detroit, Mich.	143				2	32		23					
Dubuque, Iowa.						2		2					
Duluth, Minn.	37	1	2	5	4	2		6	1				
Dunkirk, N. Y.	3							1		2			
Elizabeth, N. J.	19		1	1	1	2		1		1			
Elmira, N. Y.	8	1		1								2	
El Paso, Tex.	27		9	6	1			4					
Erie, Pa.	23	2	3	3	1	10							
Evansville, Ind.	12	4	1					2		1			
Everett, Mass.	4	1	1			1		2					
Fall River, Mass.	25	1	4			4		3		2			
Freeport, Ill.	7							1					
Galesburg, Ill.	9					3		4	1				
Gloucester, Mass.	6												
Grand Rapids, Mich.	39	2	1	3	1	3		76				2	
Greensboro, N. C.	6		1	1	1								
Harrison, N. J.	2												
Hartford, Conn.	46	1	2			11	1	15	2				
Haverhill, Mass.	9	3	1			2		2					
Hoboken, N. J.		3		1	1			1		4		1	
Houston, Tex.	19		3					2					
Hyde Park, Mass.	2		1							4			
Jacksonville, Fla.	17				2	6							
Johnstown, Pa.	20	1		3	2	3		5	1				
Kalamazoo, Mich.	13	1		1						44		2	
Kansas City, Kans.	32	8	2	8		4		2					
Kearny, N. J.	8	2	1							11		1	
Kingston, N. Y.	4							1					
Kokomo, Ind.	4					1		1					
Knoxville, Tenn.	8							2		40			

## MORBIDITY AND MORTALITY—Continued.

*Weekly morbidity and mortality table, cities of the United States, for week ended December 10—Continued.*

Cities.	Total deaths from all causes.	Tuber- culosis.		Ty- phoid fever.		Scarlet fever.		Diph- theria.		Measles.		Whoop- ing cough.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
La Crosse, Wis.	6					10				2			
La Fayette, Ind.	6		2										
Lancaster, Pa.	20	2	1					2	2			6	
Lawrence, Mass.	31	2	1	2	1			3	1	5			
Lexington, Ky.	13		3			1							
Lowell, Mass.	31	2	1	6		2	1	11					
Lynchburg, Va.						3		3					
Lynn, Mass.	28			1		4		4		10			
Madison, Ind.								2					
Malden, Mass.	14	3	3	1		2	1	2		1			
Manchester, N. H.	24	1	1	1				2	2			1	1
Manistee, Mich.												3	
Manitowoc, Wis.	5							2					
Marquette, Wis.	4		1					1					
Massillon, Ohio.	2				1								
Medford, Mass.	6	1	2			1		1					
Milwaukee, Wis.	90	12	6	6		42	1	44	10	18	1	4	
Moline, Ill.	2		1					3					
Montclair, N. J.	10		2			1		2	1			2	
Montgomery, Ala.	20		2			3		2					
Morristown, N. J.	7			1	2	3		3					
Mount Vernon, N. Y.	4		1	1		13				1			
Nanticoke, Pa.	5							5					
Nashville, Tenn.	38	1	7	2		10		4					
Newark, N. J.	121	22	19	5	1	22	1	39	4	1			
New Bedford, Mass.	33	3	2	1				8		2		1	
Newburyport, Mass.	7							5					
New Orleans, La.	148	22	16	10	1	35		8		13			
Newport, Ky.	9	2	2					3					
New York, N. Y.	1,434	548	154	40	16	243	7	269	26	130	4	48	4
Niagara Falls, N. Y.	6	1		5	1	3		8					
Norristown, Pa.	3	2				1				2			
North Adams, Mass.	5					1		2	2	8		2	
Northampton, Mass.	12	1						1		1			
Orange, N. J.	9	3	2	1		4							
Ottumwa, Iowa.	17												
Paducah, Ky.	12		2										
Palmer, Mass.	3							3					
Peekskill, N. Y.	4	1	1			4		2					
Philadelphia, Pa.	491	79	44	14	1	48	4	99	13	145	4	19	3
Pittsburg, Pa.	177	22	13	20	4	40	2	20	3	14	3	27	1
Pittsfield, Mass.	16	2		1						78			
Plainfield, N. J.	3	1				1		2					
Portsmouth, N. H.													
Portsmouth, Va.	11					1		2					
Pottstown, Pa.	5												
Providence, R. I.	62	4	8	1		9		11		1		1	
Reading, Pa.		2	3	2	1	4		1		5			
Rock Island, Ill.	7					5							
Rutland, Vt.	3											2	
Sacramento, Cal.	10												
St. Louis, Mo.	201	36	17	10	2	65	2	37	3	97		4	
Salt Lake City, Utah.	28	1	1	3	1	4		20	1	15			
San Antonio, Tex.	10			9	3	5		3	1	1			
San Francisco, Cal.	131	38	18	17	1			5	1	22		4	
Saratoga Springs, N. Y.	1												
Schenectady, N. Y.	20	2	3	1		2		2		3		1	
Somerville, Mass.	12	1	1	1		4		5					
South Bend, Ind.	13							5					
South Bethlehem, Pa.	7	1	1	2									
Springfield, Mass.	27	6	4		1	1		5	1			1	
Steelton, Pa.	5	2				1		2					
Superior, Wis.	7				1	2		2	2				
Tacoma, Wash.	15					1		6					
Taunton, Mass.	10					1		2					
Terre Haute, Ind.	17		1			5							
Toledo, Ohio.	44	6	8	6		4		13		2			
Trenton, N. J.	8	3	6	3		2		6	2				
Waltham, Mass.	8					1		3	1				
Warren, Ohio.	3												
Washington, D. C.	120	14	15	16	3	6		9		2		6	
Wheeling, W. Va.	12	1	1	3		1		4	1	1			

## MORBIDITY AND MORTALITY—Continued.

*Weekly morbidity and mortality table, cities of the United States, for week ended December 10—Continued.*

Cities.	Total deaths from all causes.	Tuber- culosis.		Ty- phoid fever.		Scarlet fever.		Diph- theria.		Measles.		Whoop- ing cough.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Wichita, Kans.....	14	...	1	1	2	...	...	3	1	...	...	...	...
Wilkes-Barre, Pa.....	29	4	1	1	1	...	...	4	2	...	...	...	...
Wilkesburg, Pa.....	6	...	...	...	...	...	...	...	...	...	...	...	...
Williamsport, Pa.....	10	...	...	...	...	1	...	...	...	...	...	...	...
Wilmington, Del.....	24	...	3	...	...	...	...	...	...	...	...	...	...
Woburn, Mass.....	3	...	...	...	...	1	...	...	...	...	...	...	...
Worcester, Mass.....	48	1	1	...	...	4	...	13	2	2	1	2	1
Yonkers, N. Y.....	28	1	5	...	...	12	...	3	1	...	...	...	...
York, Pa.....	...	...	...	1	...	...	...	9	...	1	...	1	...
Zanesville, Ohio.....	3	...	...	...	...	2	...	1	...	4	...	...	...

**STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).**

**CALIFORNIA—SAN DIEGO.**—Month of November, 1910. Population, 45,000. Total number of deaths from all causes 55, including tuberculosis, 9. Cases reported: Typhoid fever 1, measles 1, scarlet fever 16, diphtheria 3.

**CONNECTICUT.**—Month of November, 1910. Population of reporting towns, 1,111,526. Total number of deaths from all causes 1,249, including typhoid fever 24, measles 2, scarlet fever 6, diphtheria 28, tuberculosis, pulmonary, 94. Cases reported: Typhoid fever present in 38 towns with 139 cases, measles in 16 towns with 158 cases, scarlet fever 141 cases in 36 towns, diphtheria 323 in 56 towns, tuberculosis 111 in 40 towns.

**FLORIDA.**—Reports from the State board of health show as follows: Week ended December 3, 1910. Typhoid fever present in 2 localities (Tampa and Jacksonville) with 3 cases, smallpox in 6 counties (Dade, Gadsden, Hillsborough, Jackson, Leon, Manatee) with 36 cases, scarlet fever in 1 locality with 2 cases, diphtheria in 2 localities with 4 cases, malaria in 3 localities with 15 cases, tuberculosis in 1 locality (Lake City) with 1 case.

Week ended December 10, 1910. Typhoid fever present in 1 locality (Tampa) with 4 cases, smallpox in 5 counties (Duval, Escambia, Hillsborough, Leon, and Madison with 38 cases, diphtheria in 2 localities with 2 cases, malaria in 4 localities with 25 cases, tuberculosis in 1 locality (Tampa) with 3 cases.

**GEORGIA—Macon.**—Month of November, 1910. Population, 45,000; white, 25,000, colored, 20,000. Total number of deaths from all causes 40, white 24, colored 16, including typhoid fever 2, tuberculosis 1.